

SiSU
Markup

Ralph Amissah

copy @ www.jus.uio.no/sisu/

Copyright © Ralph Amissah 2007, part of SiSU documentation, License GPL 3

Generated by SiSU [SiSU 0.70.0 of 2008w48/3] www.jus.uio.no/sisu

Copyright © 1997, current 2008 Ralph Amissah, All Rights Reserved.

SiSU is software for document structuring, publishing and search (with object citation numbering), www.sisudoc.org

SiSU is released under GPL 3 or later, <<http://www.fsf.org/licenses/gpl.html>>.

Document information:

sourcefile [sisu_markup.sst](#)

Generated by SiSU www.jus.uio.no/sisu

version information: [SiSU 0.70.0 of 2008w48/3](#)

For alternative output formats of this document check:

<http://www.jus.uio.no/sisu/sisu_markup/sisu_manifest.html>

Contents

SiSU - Markup, Ralph Amissah	1
SiSU Markup	1
1. Introduction to SiSU Markup	1
1.1 Summary	1
1.2 Markup Examples	2
2. Markup of Headers	2
2.1 Sample Header	2
2.2 Available Headers	3
3. Markup of Substantive Text	5
3.1 Heading Levels	5
3.2 Font Attributes	6
3.3 Indentation and bullets	6
3.4 Footnotes / Endnotes	7
3.5 Links	7
3.6 Grouped Text	9
3.7 Book index	13
4. Composite documents markup	14
Markup Syntax History	15
5. Notes related to Files-types and Markup Syntax	15
Document Information (metadata)	17
Metadata	17
Information on this document copy and an unofficial List of Some web related information and sources	18
Information on this document copy	18
Links that may be of interest	18

1	SiSU - Markup, Ralph Amissah		
2	SiSU Markup		
		1. Introduction to SiSU Markup¹	3
		1.1 Summary	4
		SiSU source documents are plaintext (UTF-8) ² files	5
		All paragraphs are separated by an empty line.	6
		Markup is comprised of:	7
		at the top of a document, the document header made up of semantic meta-data about the document and if desired additional processing instructions (such an instruction to automatically number headings from a particular level down)	8
		followed by the prepared substantive text of which the most important single characteristic is the markup of different heading levels, which define the primary outline of the document structure. Markup of substantive text includes:	9
		heading levels defines document structure	10
		text basic attributes, italics, bold etc.	11
		grouped text (objects), which are to be treated differently, such as code blocks or poems.	12
		footnotes/endnotes	13
		linked text and images	14
		paragraph actions, such as indent, bulleted, numbered-lists, etc.	15
		Some interactive help on markup is available, by typing <code>sisu</code> and selecting <code>markup</code> or <code>sisu --help markup</code>	16
		To check the markup in a file:	17
		¹ From sometime after SiSU 0.58 it should be possible to describe SiSU markup using SiSU, which though not an original design goal is useful.	
		² files should be prepared using UTF-8 character encoding	

18 `sisu --identify [filename].sst`

19 For brief descriptive summary of markup history

20 `sisu --query-history`

21 or if for a particular version:

22 `sisu --query-0.38`

23 1.2 Markup Examples

24 1.2.1 Online

25 Online markup examples are available together with the respective
outputs produced from `<http://www.jus.uio.no/sisu/SiSU/examples.html>`
or from `<http://www.jus.uio.no/sisu/sisu_examples/>`

26 There is of course this document, which provides a cursory overview
of sisu markup and the respective output produced: `<http://www.jus.uio.no/sisu/sisu_markup/>`

27 Some example marked up files are available as html with syn-
tax highlighting for viewing: `<http://www.jus.uio.no/sisu/sample/syntax>`

28 an alternative presentation of markup syntax: `<http://www.jus.uio.no/sisu/sample/on_markup.txt>`

29 1.2.2 Installed

30 With **SiSU** installed sample skins may be found in:
`/usr/share/doc/sisu/sisu_markup_samples/dfsg` (or equiva-
lent directory) and if sisu-markup-samples is installed also under:
`/usr/share/doc/sisu/sisu_markup_samples/non-free`

2. Markup of Headers 31

32 Headers consist of semantic meta-data about a document, which
can be used by any output module of the program; and may in
addition include extra processing instructions.

33 Note: the first line of a document may include information on the
markup version used in the form of a comment. Comments are a
percentage mark at the start of a paragraph (and as the first char-
acter in a line of text) followed by a space and the comment: 34

```
% this would be a comment
```

2.1 Sample Header 35

36 This current document has a header similar to this one (without
the comments): 37

```
% SiSU 0.57
@title: SiSU
@subtitle: Markup
@creator: Ralph Amissah
@rights: Copyright (C) Ralph Amissah 2007, part of SiSU documentation, License
GPL 3
@type: information
@subject: ebook, epublishing, electronic book, electronic publishing, electronic doc-
ument, electronic citation, data structure, citation systems, search
@date.created: 2002-08-28
@date.issued: 2002-08-28
@date.available: 2002-08-28
@date.modified: 2007-09-16
@date: 2007-09-16
@level: new=C; break=1; num_top=1
% comment: in this @level header num_top=1 starts automatic heading numbering
at heading level 1 (numbering continues 3 levels down); the new and break instructions
are used by the LaTeX/pdf and odf output to determine where to put page breaks (that
are not used by html output or say sql database population).
@skin: skin_sisu_manual
% skins modify the appearance of a document and are placed in a sub-directory under
./_sisu/skin /_sisu/skin or /etc/sisu/skin. A skin may affect single documents that
```

request them, all documents in a directory, or be site-wide. (A document is affected 47
by a single skin)

```
@bold: /Gnu|Debian|Ruby|SiSU/
@links: { SiSU Manual }http://www.jus.uio.no/sisu/sisu_manual/
{ Book Samples and Markup Examples }http://www.jus.uio.no/sisu/SiSU/examples.html
{ SiSU @ Wikipedia }http://en.wikipedia.org/wiki/SiSU
{ SiSU @ Freshmeat }http://freshmeat.net/projects/sisu/
{ SiSU @ Ruby Application Archive }http://raa.ruby-lang.org/project/sisu/
{ SiSU @ Debian }http://packages.qa.debian.org/s/sisu.html
{ SiSU Download }http://www.jus.uio.no/sisu/SiSU/download.html
{ SiSU Changelog }http://www.jus.uio.no/sisu/SiSU/changelog.html
```

38 2.2 Available Headers

39 Header tags appear at the beginning of a document and provide
meta information on the document (such as the Dublin Core),
or information as to how the document as a whole is to be pro-
cessed. All header instructions take either the form @headername:
or 0 headername. All Dublin Core meta tags are available

40 **@identifier:** information or instructions

41 where the “identifier” is a tag recognised by the program, and the
“information” or “instructions” belong to the tag/identifier spec-
ified

42 Note: a header where used should only be used once; all headers
apart from @title: are optional; the @structure: header is used to
describe document structure, and can be useful to know.

43 This is a sample header

44 **% SiSU 0.38** [declared file-type identifier with markup ver-
sion]

45 **@title:** [title text] This is the title of the document and used as
such, this header is the only one that is mandatory

46 **@subtitle:** The Subtitle if any

@creator: [or @author:] Name of Author

@subject: (whatever your subject) 48

@description: 49

@publisher: 50

@contributor: 51

@translator: [or @translated_by:] 52

@illustrator: [or @illustrated_by:] 53

@prepared_by: [or @digitized_by:] 54

@date: **2000-08-27** [also @date.created: @date.issued: 55

@date.available: @date.valid: @date.modified:]

@type: **article** 56

@format: 57

@identifier: 58

@source: 59

@language: [or @language.document:] [country code for lan- 60
guage if available, or language, English, en is the default setting]
(en - English, fr - French, de - German, it - Italian, es - Spanish, pt
- Portuguese, sv - Swedish, da - Danish, fi - Finnish, no - Norwe-
gian, is - Icelandic, nl - Dutch, et - Estonian, hu - Hungarian, pl -
Polish, ro - Romanian, ru - Russian, el - Greek, uk - Ukrainian, tr
- Turkish, sk - Slovak, sl - Slovenian, hr - Croatian, cs - Czech, bg
- Bulgarian) [however, encodings are not available for all of the
languages listed.]

[@language.original: original language in which the work was pub- 61
lished]

@papersize: (A4|US_letter|book_B5|book_A5|US_legal) 62

@relation: 63

@coverage: 64

65 **@rights:** Copyright (c) Name of Right Holder, all rights reserved,
or as granted: public domain, copyleft, creative commons variant,
etc.

66 **@owner:**

67 **@keywords:** text document generation processing management
latex pdf structured xml citation [your keywords here, used for
example by rss feeds, and in sql searches]

68 **@abstract:** [paper abstract, placed after table of contents]

69 **@comment:** [...]

70 **@catalogue:** loc=[Library of Congress classification];
dewey=[Dewey classification]; isbn=[ISBN]; pg=[Project Guten-
berg text number]

71 **@classify_loc:** [Library of Congress classification]

72 **@classify_dewey:** [Dewey classification]

73 **@classify_isbn:** [ISBN]

74 **@classify_pg:** [Project Gutenberg text number]

75 **@prefix:** [prefix is placed just after table of contents]

76 **@prefix_a:** [prefix is placed just before table of contents - not
implemented]

77 **@prefix_b:**

78 **@rcs:** \$Id: sisu_markup.sst,v 1.2 2007/09/08 17:12:47 ralph Exp
\$ [used by rcs or cvs to embed version (revision control) information
into document, rcs or cvs can usefully provide a history of updates
to a document]

79 **@structure:** PART; CHAPTER; SECTION; ARTICLE; none;
none;
optional, document structure can be defined by words to match or
regular expression (the regular expression is assumed to start at the
beginning of a line of text i.e. ^) default markers :A to :C and

1 to 6 can be used within text instead, without this header tag,
and may be used to supplement the instructions provided in this
header tag if provided (@structure: is a synonym for @toc:)

@level: newpage=3; breakpage=4 80
paragraph level, used by latex to breakpages, the page is optional
eg. in newpage

@markup: information on the markup used, e.g. new=1,2,3; 81
break=4; num_top=4 [or newpage=1,2,3; breakpage=4;
num_top=4] newpage and breakpage, heading level, used by
LaTeX to breakpages. breakpage: starts on a new page in single
column text and on a new column in double column text; newpage:
starts on a new page for both single and double column texts.
num_top=4 [auto-number document, starting at level 4. the
default is to provide 3 levels, as in 1 level 4, 1.1 level 5, 1.1.1 level
6, markup to be merged within level]
num_extract [take numbering of headings provided (manually in
marked up source document), and use for numbering of segments.
Available where a clear numbering structure is provided within
document, without the repetition of a number in a header.] [In 0.38
notation, you would map to the equivalent levels, the examples
provided would map to the following new=A,B,C; break=1;
num_top=1 [or newpage=A,B,C; breakpage=1; num_top=1] see
headings]

@bold: [regular expression of words/phrases to be made 82
bold]

@italics: [regular expression of words/phrases to italicise] 83

@vocabulary: name of taxonomy/vocabulary/wordlist to use 84
against document

@skin: skin_doc_[name_of_desired_document_skin] 85
skins change default settings related to the appearance of docu-

ments generated, such as the urls of the home site, and the icon/logo for the document or site.

86 **@man: 8;**

name=sisu - documents: markup, structuring, publishing in multiple standard formats, and search;
 synopsis=sisu [-abcDdFHHiMmNnopqRrSsTtUuVvwXxYyZz0-9] [filename/wildcard]
 sisu [-Ddev] [instruction]
 sisu [-CcFLSVvW]
 the man page category number (default 1) and special tags used in preparing man page headings

87 **@links:** { **SiSU** }http://www.jus.uio.no/sisu/;
 { FSF }http://www.fsf.org

88 **@promo:** sisu, ruby, search_libre_docs, open_society

places content in right pane in html, makes use of list.yml and promo.yml, commented out sample in document sample:
 free_as_in_freedom.richard_stallman_crusade_for_free_software.sam_williams.sst

3. Markup of Substantive Text 89

3.1 Heading Levels 90

Heading levels are :A ,:B ,:C ,1 ,2 ,3 ... :A - :C being part / section headings, followed by other heading levels, and 1 -6 being headings followed by substantive text or sub-headings. :A usually the title :A ? conditional level 1 heading (used where a stand-alone document may be imported into another) 91

:A [heading text] Top level heading [this usually has similar content to the title @title:] NOTE: the heading levels described here are in 0.38 notation, see heading 92

:B [heading text] Second level heading [this is a heading level divider] 93

:C [heading text] Third level heading [this is a heading level divider] 94

1 [heading text] Top level heading preceding substantive text of document or sub-heading 2, the heading level that would normally be marked 1. or 2. or 3. etc. in a document, and the level on which sisu by default would break html output into named segments, names are provided automatically if none are given (a number), otherwise takes the form 1 my_filename_for_this_segment 95

2 [heading text] Second level heading preceding substantive text of document or sub-heading 3, the heading level that would normally be marked 1.1 or 1.2 or 1.3 or 2.1 etc. in a document. 96

3 [heading text] Third level heading preceding substantive text of document, that would normally be marked 1.1.1 or 1.1.2 or 1.2.1 or 2.1.1 etc. in a document 97

1 filename level 1 heading, 98

% the primary division such as Chapter that is followed by substantive text, and may be further subdivided (this is the level on which by default html segments are made)

99 **3.2 Font Attributes**100 **markup example:**

101 normal text `!`{emphasis}`!` `*`{bold text}`*` `_`{underline}`_` `/`{italics}`/` `"`{citation}`"`
`^`{superscript}`^` `,`{subscript}`,` `+`{inserted text}`+`
normal text
`!`{emphasis}`!`
`*`{bold text}`*`
`_`{underline}`_`
`/`{italics}`/`
`"`{citation}`"`
`^`{superscript}`^`
`,`{subscript}`,`
`+`{inserted text}`+`
`-`{strikethrough}`-`

102 **resulting output:**

103 normal text **emphasis** **bold text** underscore *italics* ``citation''
superscript subscript inserted text ~~strikethrough~~

104 normal text

105 **emphasis**106 **bold text**107 underscore108 *italics*

109 ``citation''

110 superscript

111 subscript

112 inserted text113 ~~strikethrough~~114 **3.3 Indentation and bullets**115 **markup example:**

ordinary paragraph
`_`1 indent paragraph one step
`_`2 indent paragraph two steps
`_`9 indent paragraph nine steps

resulting output:

ordinary paragraph

indent paragraph one step

indent paragraph two steps

indent para- 121
graph nine
steps

markup example:

`_`* bullet text
`_`1* bullet text, first indent
`_`2* bullet text, two step indent

resulting output:

bullet text

bullet text, first indent

bullet text, two step indent

Numbered List (not to be confused with headings/titles, (document 128
structure))

markup example:

`#` numbered list numbered list 1., 2., 3, etc.
`<=hash>` numbered list numbered list indented a., b., c., d., etc.

3.4 Footnotes / Endnotes

Footnotes and endnotes not distinguished in markup. They are automatically numbered. Depending on the output file format (html, odf, pdf etc.), the document output selected will have either footnotes or endnotes.

markup example:

```
{ a footnote or endnote }
```

resulting output:

3

markup example:

```
normal text{ self contained endnote marker & endnote in one }continues
```

resulting output:

normal text⁴ continues

markup example:

```
normal text {* unnumbered asterisk footnote/endnote, insert multiple asterisks if required }continues
```

```
normal text {** another unnumbered asterisk footnote/endnote }continues
```

resulting output:

normal text * continues

normal text ** continues

markup example:

```
normal text [+ editors notes, numbered asterisk footnote/endnote series ]continues
```

```
normal text [+ editors notes, numbered asterisk footnote/endnote series ]continues
```

resulting output:

³a footnote or endnote

⁴self contained endnote marker & endnote in one

* unnumbered asterisk footnote/endnote, insert multiple asterisks if required

** another unnumbered asterisk footnote/endnote

131 normal text ^{*1} continues 149

132 normal text ⁺¹ continues 150

Alternative endnote pair notation for footnotes/endnotes: 151

```
% note the endnote marker "~"
```

```
normal text~ continues
```

```
^ endnote text following the paragraph in which the marker occurs
```

the standard and pair notation cannot be mixed in the same document 153

3.5 Links 154

3.5.1 Naked URLs within text, dealing with urls 155

urls are found within text and marked up automatically. A url within text is automatically hyperlinked to itself and by default decorated with angled braces, unless they are contained within a code block (in which case they are passed as normal text), or escaped by a preceding underscore (in which case the decoration is omitted).

markup example: 157

```
normal text http://www.jus.uio.no/sisu continues 158
```

resulting output: 159

normal text <<http://www.jus.uio.no/sisu>> continues 160

An escaped url without decoration 161

markup example: 162

```
normal text http://www.jus.uio.no/sisu continues 163
```

```
deb http://www.jus.uio.no/sisu/archive unstable main non-free
```

resulting output: 164

^{*1}editors notes, numbered asterisk footnote/endnote series

⁺¹editors notes, numbered asterisk footnote/endnote series

165 normal text <http://www.jus.uio.no/sisu> continues
 166 deb <http://www.jus.uio.no/sisu/archive> unstable main non-free
 167 where a code block is used there is neither decoration nor hyper-
 linking, code blocks are discussed later in this document

168 **resulting output:**

```
169 deb http://www.jus.uio.no/sisu/archive unstable main non-free
170 deb-src http://www.jus.uio.no/sisu/archive unstable main non-free
```

170 To link text or an image to a url the markup is as follows

171 **markup example:**

```
172 about { SiSU }http://url.org markup
```

173 3.5.2 Linking Text

174 **resulting output:**

175 about [SiSU](#) markup

176 A shortcut notation is available so the url link may also be provided
 automatically as a footnote

177 **markup example:**

```
178 about {5 SiSU }http://url.org markup
```

179 **resulting output:**

180 about [SiSU](#)⁵ markup

181 3.5.3 Linking Images

182 **markup example:**

```
183 { tux.png 64x80 }image
% various url linked images
{tux.png 64x80 "a better way" }http://www.jus.uio.no/sisu/
{GnuDebianLinuxRubyBetterWay.png 100x101 "Way Better - with Gnu/Linux, De-
bian and Ruby" }http://www.jus.uio.no/sisu/
```

⁵[<http://www.jus.uio.no/sisu/>](http://www.jus.uio.no/sisu/)

```
{6 ruby_logo.png "Ruby" }http://www.ruby-lang.org/en/
```

resulting output:



linked url footnote shortcut

```
{6 [text to link] }http://url.org
% maps to: { [text to link] }http://url.org { http://url.org }
```

⁶[<http://www.ruby-lang.org/en/>](http://www.ruby-lang.org/en/)

mouse, That he
 met in the
 house,
 "Let us
 both go to
 law: I will
 prosecute
 YOU. --Come,
 I'll take no
 denial; We
 must have a
 trial: For
 really this
 morning I've
 nothing
 to do."
 Said the
 mouse to the
 cur, "Such
 a trial,
 dear Sir,
 With
 no jury
 or judge,
 would be
 wasting
 our
 breath."
 "I'll be
 judge, I'll
 be jury,"
 Said
 cunning
 old Fury:
 "I'll
 try the
 whole
 cause,

and
 condemn
 you
 to
 death."
 }poem
resulting output:
 `Fury said to a
 mouse, That he
 met in the
 house,
 "Let us
 both go to
 law: I will
 prosecute
 YOU. --Come,
 I'll take no
 denial; We
 must have a
 trial: For
 really this
 morning I've
 nothing
 to do."
 Said the
 mouse to the
 cur, "Such
 a trial,
 dear Sir,
 With

212

213

no jury
 or judge,
 would be
 wasting
 our
 breath.”
 “I’ll be
 judge, I’ll
 be jury,”
 Said
 cunning
 old Fury:
 “I’ll
 try the
 whole
 cause,
 and
 condemn
 you
 to
 death.”

```
group{
    `Fury said to a
      mouse, That he
        met in the
          house,
            "Let us
              both go to
                law: I will
                  prosecute
                    YOU. --Come,
                      I'll take no
                        denial; We
                          must have a
                            trial: For
                              really this
                                morning I've
                                  nothing
                                    to do."
                                      Said the
                                        mouse to the
                                          cur, "Such
                                            a trial,
                                              dear Sir,
                                                With
                                                  no jury
                                                    or judge,
                                                      would be
                                                        wasting
                                                          our
                                                            breath."
                                                              "I'll be
                                                                judge, I'll
                                                                  be jury,"
                                                                    Said
                                                                      cunning
                                                                        old Fury:
                                                                          "I'll
                                                                              try the
```

214 3.6.3 Group

215 basic markup:

```
216 group{
    Your grouped text here
}group
```

A group is treated as an object and given a single object number.

217 markup example:

218

whole
cause,
and
condemn
you
to
death."

}group

219 **resulting output:**

220 `Fury said to a
 mouse, That he
 met in the
 house,
"Let us
both go to
law: I will
prosecute
YOU. --Come,
I'll take no
denial; We
must have a
trial: For
really this
morning I've
nothing
to do."
Said the
mouse to the
cur, "Such
a trial,
dear Sir,

With
no jury
or judge,
would be
wasting
our
breath."
"I'll be
judge, I'll
be jury,"
Said
cunning
old Fury:
"I'll
try the
whole
cause,
and
condemn
you
to
death."

3.6.4 Code

221

Code tags are used to escape regular sisu markup, and have been used extensively within this document to provide examples of **SiSU** markup. You cannot however use code tags to escape code tags. They are however used in the same way as group or poem tags.

222

A code-block is treated as an object and given a single object number. [an option to number each line of code may be considered at some later time]

224 **use of code tags instead of poem compared, resulting out-**
225 **put:**

```

`Fury said to a
  mouse, That he
    met in the
  house,
"Let us
both go to
law: I will
prosecute
  YOU. --Come,
    I'll take no
      denial; We
        must have a
  trial: For
    really this
  morning I've
nothing
to do."
Said the
  mouse to the
    cur, "Such
      a trial,
        dear Sir,
          With
            no jury
              or judge,
                would be
                  wasting
                    our
                      breath."
" I'll be
  judge, I'll
    be jury,"

```

```

223      Said
cunning
old Fury:
"I'll
try the
  whole
    cause,
      and
        condemn
  you
to
death."

```

3.7 Book index

To make an index append to paragraph the book index term relates to it, using an equal sign and curly braces. 226

Currently two levels are provided, a main term and if needed a sub-term. Sub-terms are separated from the main term by a colon. 228

Paragraph containing main term and sub-term. 229
={Main term:sub-term}

The index syntax starts on a new line, but there should not be an empty line between paragraph and index markup. 230

The structure of the resulting index would be: 231
Main term, 1 232
sub-term, 1

Several terms may relate to a paragraph, they are separated by a semicolon. If the term refers to more than one paragraph, indicate the number of paragraphs. 233

Paragraph containing main term, second term and sub-term. 234
={first term; second term: sub-term}

The structure of the resulting index would be: 235
First term, 1, 236

Second term, 1,
sub-term, 1

237 If multiple sub-terms appear under one paragraph, they are sep-
arated under the main term heading from each other by a pipe
238 symbol.

Paragraph containing main term, second term and sub-term.
={Main term:sub-term+1|second sub-term
A paragraph that continues discussion of the first sub-term

239 The plus one in the example provided indicates the first sub-term
spans one additional paragraph. The logical structure of the result-
240 ing index would be:

Main term, 1,
sub-term, 1-3,
second sub-term, 1,

4. Composite documents markup

241

It is possible to build a document by creating a master document 242
that requires other documents. The documents required may be
complete documents that could be generated independently, or they
could be markup snippets, prepared so as to be easily available to be
placed within another text. If the calling document is a master doc-
ument (built from other documents), it should be named with the
suffix **.ssm**. Within this document you would provide information
on the other documents that should be included within the text.
These may be other documents that would be processed in a regu-
lar way, or markup bits prepared only for inclusion within a master
document **.sst** regular markup file, or **.ssi** (insert/information) A
secondary file of the composite document is built prior to processing
with the same prefix and the suffix **._sst**

basic markup for importing a document into a master docu- 243
ment 244

```
<< filename1.sst
<< filename2.ssi
```

The form described above should be relied on. Within the Vim 245
editor it results in the text thus linked becoming hyperlinked to
the document it is calling in which is convenient for editing. Alter-
native markup for importation of documents under consideration,
and occasionally supported have been. 246

```
<< filename.ssi
<<{filename.ssi}
% using textlink alternatives
<< |filename.ssi|@|^|
```

247	Markup Syntax History	
	5. Notes related to Files-types and Markup Syntax	248
	0.38 is substantially current, depreciated 0.16 supported, though file names were changed at 0.37	249
	sisu --query=[sisu version [0.38] or `history]	250
	provides a short history of changes to SiSU markup	251
	0.57 (2007w34/4) SiSU 0.57 is the same as 0.42 with the introduction of some a shortcut to use the headers @title and @creator in the first heading [expanded using the contents of the headers @title: and @author:]	252
	:A @title by @author	253
	0.52 (2007w14/6) declared document type identifier at start of text/document:	254
	SiSU 0.52	255
	or, backward compatible using the comment marker:	256
	% SiSU 0.38	257
	variations include `SiSU (text master insert) [version]' and `sisu-[version]'	258
	0.51 (2007w13/6) skins changed (simplified), markup unchanged	259
	0.42 (2006w27/4) * (asterisk) type endnotes, used e.g. in relation to author	260
	SiSU 0.42 is the same as 0.38 with the introduction of some additional endnote types,	261
	Introduces some variations on endnotes, in particular the use of the asterisk	262
	{* for example for describing an author } and {** for describing a second author }	263
	* for example for describing an author	264

	** for describing a second author		
266	and	265	to be understood fairly quickly); the substantive text follows levels 1,2,3 and it is `nice' to do most work in those levels
267	<code>[* my note]or [+ another note]</code>		0.37 (2006w09/7) introduced new file naming convention, <code>.sst</code> (text), <code>.ssm</code> (master), <code>.ssi</code> (insert), markup syntax unchanged
268	which numerically increments an asterisk and plus respectively		SiSU 0.37 introduced new file naming convention, using the file extensions <code>.sst</code> <code>.ssm</code> and <code>.ssi</code> to replace <code>.s1</code> <code>.s2</code> <code>.s3</code> <code>.r1</code> <code>.r2</code> <code>.r3</code> and <code>.si</code>
269	<code>*1 my note +1 another note</code>		this is captured by the following file `rename' instruction:
270	0.38 (2006w15/7) introduced new/alternative notation for headers, e.g. <code>@title:</code> (instead of <code>0 title</code>), and accompanying document structure markup, <code>:A,:B,:C,1,2,3</code> (maps to previous 1,2,3,4,5,6)		<code>rename 's/s[123]\$/sst/' *.s{1,2,3}</code>
271	SiSU 0.38 introduced alternative experimental header and heading/structure markers,		<code>rename 's/r[123]\$/ssm/' *.r{1,2,3}</code>
272	<code>@headname: and headers :A :B :C 1 2 3</code>		<code>rename 's/si\$/ssi/' *.si</code>
273	as the equivalent of:		The internal document markup remains unchanged, from SiSU 0.16
274	<code>0 headname and headers 1 2 3 4 5 6</code>		0.35 (2005w52/3) sisupod, zipped content file introduced
275	The internal document markup of SiSU 0.16 remains valid and standard Though note that SiSU 0.37 introduced a new file naming convention		0.23 (2005w36/2) utf-8 for markup file
276	SiSU has in effect two sets of levels to be considered, using 0.38 notation A-C headings/levels, pre-ordinary paragraphs /pre-substantive text, and 1-3 headings/levels, levels which are followed by ordinary text. This may be conceptualised as levels A,B,C, 1,2,3, and using such letter number notation, in effect: A must exist, optional B and C may follow in sequence (not strict) 1 must exist, optional 2 and 3 may follow in sequence i.e. there are two independent heading level sequences A,B,C and 1,2,3 (using the 0.16 standard notation 1,2,3 and 4,5,6) on the positive side: the 0.38 A,B,C,1,2,3 alternative makes explicit an aspect of structuring documents in SiSU that is not otherwise obvious to the newcomer (though it appears more complicated, is more in your face and likely		0.22 (2005w35/3) image dimensions may be omitted if rmagick is available to be relied upon
			0.20.4 (2005w33/4) header 0 links
			0.16 (2005w25/2) substantial changes introduced to make markup cleaner, header 0 title type, and headings [1-6] introduced, also percentage sign (%) at start of a text line as comment marker
			SiSU 0.16 (0.15 development branch) introduced the use of the header 0 and headings/structure 1 2 3 4 5 6 in place of the 0.1 header, heading/structure notation
			SiSU 0.1 headers and headings structure represented by header 0{ and headings/structure 1{ 2{ 3{ 4{ 5{ 6{

Document Information (metadata)Ruby version: ruby 1.8.7 (2008-08-11 patchlevel 72)
[i486-linux]**Metadata**

Document Manifest @

<http://www.sisudoc.org/sisu/sisu_markup/sisu_manifest.html>**Dublin Core (DC)***DC tags included with this document are provided here.*DC Title: SiSU - MarkupDC Creator: Ralph AmissahDC Rights: Copyright (C) Ralph Amissah 2007, part of SiSU documentation, License GPL 3DC Type: informationDC Date created: 2002-08-28DC Date issued: 2002-08-28DC Date available: 2002-08-28DC Date modified: 2008-05-22DC Date: 2008-05-22**Version Information**Sourcefile: sisu_markup.sstFiletype: SiSU text 0.67Sourcefile Digest, MD5(sisu_markup.sst)= 866e72dddc43553b65d7f7be7cfb71f8Skin_Digest: MD5(skin_sisu_manual.rb)= 072b2584bedea82ea8a416587b9fa244**Generated**Document (metaverse) last generated: Mon Dec 08 15:49:36 -0500
2008Generated by: SiSU 0.70.0 of 2008w48/3 (2008-12-03)

Information on this document copy and an unofficial List of Some web related information and sources

"Support Open Standards and Software Libré for the Information Technology Infrastructure" RA

Information on this document copy

www.jus.uio.no/sisu/

Generated by SiSU found at www.jus.uio.no/sisu/ [SiSU 0.70.0 2008w48/3] www.sisudoc.org. SiSU is software for document structuring, publishing and search (using SiSU: object citation numbering, markup, meta-markup, and system) Copyright © 1997, current 2008 Ralph Amissah, All Rights Reserved. SiSU is released under GPL 3 or later (www.fsf.org/licenses/gpl.html).

W3 since October 3 1993  SiSU 1997, current 2008.
SiSU presentations at www.jus.uio.no/sisu/

SiSU **pdf** versions can be found at:

http://www.jus.uio.no/sisu/sisu_markup/portrait.pdf
http://www.jus.uio.no/sisu/sisu_markup/landscape.pdf

SiSU **html** versions may be found at:

http://www.jus.uio.no/sisu/sisu_markup/toc.html OR
http://www.jus.uio.no/sisu/sisu_markup/doc.html

SiSU Manifest of document output and metadata may be found at:

http://www.jus.uio.no/sisu/sisu_markup/sisu_manifest.html

SiSU found at: www.jus.uio.no/sisu/

Links that may be of interest at SiSU and elsewhere:

SiSU Manual

http://www.jus.uio.no/sisu/sisu_manual/

Book Samples and Markup Examples

<http://www.jus.uio.no/sisu/SiSU/examples.html>

SiSU @ Wikipedia

<http://en.wikipedia.org/wiki/SiSU>

SiSU @ Freshmeat

<http://freshmeat.net/projects/sisu/>

SiSU @ Ruby Application Archive

<http://raa.ruby-lang.org/project/sisu/>

SiSU @ Debian

<http://packages.qa.debian.org/s/sisu.html>

SiSU Download

<http://www.jus.uio.no/sisu/SiSU/download.html>

SiSU Changelog

<http://www.jus.uio.no/sisu/SiSU/changelog.html>

SiSU help

http://www.jus.uio.no/sisu/sisu_manual/sisu_help/

SiSU help sources

http://www.jus.uio.no/sisu/sisu_manual/sisu_help_sources/

SiSU home:

www.jus.uio.no/sisu/