

SiSU

Configuration

Ralph Amissah

copy @ www.jus.uio.no/sisu/ *

Ralph Amissah

Generated by SiSU [SiSU 0.59.0 of 2007w38/0] www.jus.uio.no/sisu

Copyright © 1997, current 2007 Ralph Amissah, All Rights Reserved.

SiSU is software for document structuring, publishing and search (with object citation numbering), www.sisudoc.org

SiSU is released under GPL 3 or later, <<http://www.fsf.org/licenses/gpl.html>>.

Document information:

sourcefile sisu_configuration._sst

Generated by SiSU www.jus.uio.no/sisu

version information: SiSU 0.59.0 of 2007w38/0

For alternative output formats of this document check:

<http://www.jus.uio.no/sisu/sisu_configuration/sisu_manifest.html>

Contents

SiSU - Configuration, Ralph Amissah	1
Configuration of Environment	1
1. Configuration	2
1.1 Determining the Current Configuration	2
1.2 Configuration files (config.yml)	2
Configuration of Documents	2
2. Skins	3
2.1 Document Skin	3
2.2 Directory Skin	3
2.3 Site Skin	3
2.4 Sample Skins	3
3. Homepages	5
3.1 Home page and other custom built pages in a sub-directory	5
3.2 Home page within a skin	5
Document Information (metadata)	6
Metadata	6
Information on this document copy and an unofficial List of Some web related information and sources	7
Information on this document copy	7
Links that may be of interest	7

SISU - CONFIGURATION, RALPH AMISSAH	1
CONFIGURATION OF ENVIRONMENT	2

1. Configuration

1.1 Determining the Current Configuration

Information on the current configuration of **SiSU** should be available with the help command:

```
sisu -v
```

which is an alias for:

```
sisu --help env
```

Either of these should be executed from within a directory that contains sisu markup source documents.

1.2 Configuration files (config.yml)

SiSU configuration parameters are adjusted in the configuration file, which can be used to override the defaults set. This includes such things as which directory interim processing should be done in and where the generated output should be placed.

The **SiSU** configuration file is a yaml file, which means indentation is significant.

SiSU resource configuration is determined by looking at the following files if they exist:

```
./_sisu/sisurc.yml
```

```
~/.sisu/sisurc.yml
```

```
/etc/sisu/sisurc.yml
```

The search is in the order listed, and the first one found is used.

In the absence of instructions in any of these it falls back to the internal program defaults.

Configuration determines the output and processing directories and the database access details.

If **SiSU** is installed a sample sisurc.yml may be found in /etc/sisu/sisurc.yml

CONFIGURATION OF DOCUMENTS

2. Skins

Skins modify the default appearance of document output on a document, directory, or site wide basis. Skins are looked for in the following locations:

`./_sisu/skin`

`~/.sisu/skin`

`/etc/sisu/skin`

Within the skin directory are the following the default sub-directories for document skins:

`./skin/doc`

`./skin/dir`

`./skin/site`

A skin is placed in the appropriate directory and the file named `skin_[name].rb`

The skin itself is a ruby file which modifies the default appearances set in the program.

2.1 Document Skin

Documents take on a document skin, if the header of the document specifies a skin to be used.

`@skin: skin_united_nations`

2.2 Directory Skin

A directory may be mapped on to a particular skin, so all documents within that directory take on a particular appearance. If a skin exists in the `skin/dir` with the same name as the document directory, it will automatically be used for each of the documents in that directory, (except where a document specifies the use of another skin, in the `skin/doc` directory).

A personal habit is to place all skins within the `doc` directory, and symbolic links as needed from the `site`, or `dir` directories as required.

2.3 Site Skin

A site skin, modifies the program default skin.

2.4 Sample Skins

With **SiSU** installed sample skins may be found in:

`/etc/sisu/skin/doc` and `/usr/share/doc/sisu/sisu_markup_samples/dfsg/_sisu/skin/doc`

(or equivalent directory) and if `sisu-markup-samples` is installed also under:

`/usr/share/doc/sisu/sisu_markup_samples/non-free/_sisu/skin/doc` 45

Samples of `list.yml` and `promo.yml` (which are used to create the right column list) may be found in: 46

`/usr/share/doc/sisu/sisu_markup_samples/dfsg/_sisu/skin/yml` (or equivalent directory) 47

3. Homepages

48

SiSU is about the ability to auto-generate documents. Home pages are regarded as custom built items, and are not created by **SiSU**. More accurately, **SiSU** has a default home page, which will not be appropriate for use with other sites, and the means to provide your own home page instead in one of two ways as part of a site's configuration, these being:

49

1. through placing your home page and other custom built documents in the subdirectory `_sisu/home/` (this probably being the easier and more convenient option)

50

2. through providing what you want as the home page in a skin,

51

Document sets are contained in directories, usually organised by site or subject. Each directory can/should have its own homepage. See the section on directory structure and organisation of content.

52

3.1 Home page and other custom built pages in a sub-directory

53

Custom built pages, including the home page `index.html` may be placed within the configuration directory `_sisu/home/` in any of the locations that is searched for the configuration directory, namely `./_sisu`; `~/_sisu`; `/etc/sisu` From there they are copied to the root of the output directory with the command:

54

```
sisu -CC
```

55

3.2 Home page within a skin

56

Skins are described in a separate section, but basically are a file written in the programming language **Ruby** that may be provided to change the defaults that are provided with `sisu` with respect to individual documents, a directories contents or for a site.

57

If you wish to provide a homepage within a skin the skin should be in the directory `_sisu/skin/dir` and have the name of the directory for which it is to become the home page. Documents in the directory `commercial_law` would have the homepage modified in `skin_commercial_law.rb`; or the directory `poems` in `skin_poems.rb`

58

59

```
class Home
  def homepage
    # place the html content of your homepage here, this will become index.html
    <<HOME <html>
    <head></head>
    <doc>
    <p>this is my new homepage.</p>
    </doc>
    </html>
  end
end
```


DOCUMENT INFORMATION (METADATA)

Metadata

Document Manifest @

<http://www.jus.uio.no/sisu/sisu_manual/sisu_configuration/sisu_manifest.html>

Dublin Core (DC)

DC tags included with this document are provided here.

DC Title: SiSU - Configuration

DC Creator: Ralph Amissah

DC Rights: Ralph Amissah

DC Type: information

DC Date created: 2002-08-28

DC Date issued: 2002-08-28

DC Date available: 2007-08-28

DC Date modified: 2007-08-30

DC Date: 2007-08-30

Version Information

Sourcefile: sisu_configuration._sst

Filetype: SiSU text insert 0.58

Sourcefile Digest, MD5(sisu_configuration._sst)= 491d3da039162d60ae0e2951aa260915

Skin.Digest: MD5(/home/ralph/grotto/theatre/dbld/sisu-dev/sisu/data/doc/sisu/sisu_markup_samples/sisu_markup_samples.sst)= 20fc43cf3eb6590bc3399a1aef65c5a9

Generated

Document (metaverse) last generated: Mon Sep 24 15:34:24 +0100 2007

Generated by: SiSU 0.59.0 of 2007w38/0 (2007-09-23)

Ruby version: ruby 1.8.6 (2007-06-07 patchlevel 36) [i486-linux]

Information on this document copy and an unofficial List of Some web related information and sources

”Support Open Standards and Software Libre for the Information Technology Infrastructure”
RA

Information on this document copy www.jus.uio.no/sisu/

Generated by SiSU found at www.jus.uio.no/sisu/ [SiSU 0.59.0 2007w38/0] www.sisudoc.org. SiSU is software for document structuring, publishing and search (using SiSU: object citation numbering, markup, meta-markup, and system) Copyright © 1997, current 2007 Ralph Amissah, All Rights Reserved.

SiSU is released under GPL 3 or later (www.fsf.org/licenses/gpl.html).

W3 since October 3 1993  SiSU 1997, current 2007.

SiSU presentations at www.jus.uio.no/sisu/

SiSU **pdf** versions can be found at:

http://www.jus.uio.no/sisu/sisu_configuration/portrait.pdf

http://www.jus.uio.no/sisu/sisu_configuration/landscape.pdf

SiSU **html** versions may be found at:

http://www.jus.uio.no/sisu/sisu_configuration/toc.html OR

http://www.jus.uio.no/sisu/sisu_configuration/doc.html

SiSU Manifest of document output and metadata may be found at:

http://www.jus.uio.no/sisu/sisu_configuration/sisu_manifest.html

SiSU found at: www.jus.uio.no/sisu/

Links that may be of interest at SiSU and elsewhere:

SiSU Manual

http://www.jus.uio.no/sisu/sisu_manual/

Book Samples and Markup Examples

<http://www.jus.uio.no/sisu/SiSU/2.html>

SiSU @ Wikipedia

<http://en.wikipedia.org/wiki/SiSU>

SiSU @ Freshmeat

<http://freshmeat.net/projects/sisu/>

SiSU @ Ruby Application Archive

<http://raa.ruby-lang.org/project/sisu/>

SiSU @ Debian

<http://packages.qa.debian.org/s/sisu.html>

SiSU Download

<http://www.jus.uio.no/sisu/SiSU/download.html>

SiSU Changelog

<http://www.jus.uio.no/sisu/SiSU/changelog.html>

SiSU help

http://www.jus.uio.no/sisu/sisu_manual/sisu_help/

SiSU help sources

http://www.jus.uio.no/sisu/sisu_manual/sisu_help_sources/

SiSU home:

www.jus.uio.no/sisu/